

EE492 Senior Design II - Weekly Report 15

Group Number: May1634	Date: 4/14/16 - 4/21/16
Project Name: Studying cell behaviors in 3D microtissues using a LabChip	
Advisor: Long Que	
Client: Long Que	

The team

Role	Group Member
Group leader	Jonathan Yatkoske
Team Webmaster	Yaxiong Zhang
	Chun-Hao Lo
Team Communication Leader	Yuqian Hu
Team Key Concept Holder	Kaiyu Xu

Attendance (meeting date: Apr. 19th 2015)

Jonathan Yatkoske	In person
Chun-Hao Lo	In person
Yaxiong Zhang	In person
Kaiyu Xu	Absent
Yuqian Hu	Absent

Accomplishments of past week

1. Finalize the poster by changing the layout and fixing the flowchart.
2. Group meeting before meeting with adviser. Go through presentation.
3. Meeting with adviser. Give a quick presentation. Get suggestions on the PowerPoint from adviser.

Plan for coming week

1. Revise the PowerPoint. Label axis and every graph.
2. Fix the label problem of the output graphs.
3. Finish the final document.

Pending issues

Go through the presentation with adviser before final presentation.

Individual contributions

Jonathan Yatckoske	Fix the content of the poster; improve the code
Chun-Hao Lo	website maintenance; improve the layout of the poster; change the PowerPoint according to our process
Yaxiong Zhang	website maintenance; change the flowchart in the poster
Kaiyu Xu	Take down meeting notes
Yuqian Hu	work on weekly report; work on the poster

Individual hourly contributions

Name	Week Hours	Cumulative Hours
Jonathan Yatckoske	6	101.5
Chun-Hao Lo	4	80.5
Yaxiong Zhang	4	80
Kaiyu Xu	1	39
Yuqian Hu	3	67.5

Appendix:

(CellTrackerGUI.m Updated)

```

1 function varargout = CellTrackerGUI(varargin)
2 % CELLTRACKERGUI MATLAB code for CellTrackerGUI.fig
3 %   CELLTRACKERGUI, by itself, creates a new CELLTRACKERGUI or raises the existing
4 %   singleton*.
5 %
6 %   H = CELLTRACKERGUI returns the handle to a new CELLTRACKERGUI or the handle to
7 %   the existing singleton*.
8 %
9 %   CELLTRACKERGUI('CALLBACK',hObject,eventData,handles,...) calls the local
10 %   function named CALLBACK in CELLTRACKERGUI.M with the given input arguments.
11 %
12 %   CELLTRACKERGUI('Property','Value',...) creates a new CELLTRACKERGUI or raises the
13 %   existing singleton*. Starting from the left, property value pairs are
14 %   applied to the GUI before CellTrackerGUI OpeningFcn gets called. An
15 %   unrecognized property name or invalid value makes property application
16 %   stop. All inputs are passed to CellTrackerGUI OpeningFcn via varargin.
17 %
18 % *See GUI Options on GUIDE's Tools menu. Choose "GUI allows only one
19 %   instance to run (singleton)".
20 %
21 % See also: GUIDE, GUIDATA, GUIHANDLES
22
23 % Edit the above text to modify the response to help CellTrackerGUI
24
25 % Last Modified by GUIDE v2.5 17-Apr-2016 17:58:16
26
27 % Begin initialization code - DO NOT EDIT
28 gui Singleton = 1;
29 gui State = struct('gui Name',      mfilename, ...
30                   'gui Singleton', gui Singleton, ...
31                   'gui OpeningFcn', @CellTrackerGUI_OpeningFcn, ...
32                   'gui OutputFcn', @CellTrackerGUI_OutputFcn, ...
33                   'gui LayoutFcn', [], ...
34                   'gui Callback', []);
35 if nargin && ischar(varargin{1})
36     gui State.gui Callback = str2func(varargin{1});
37 end
38
39 if nargin
40     [varargout{1:nargout}] = gui_mainfcn(gui_State, varargin{:});
41 else
42     gui_mainfcn(gui_State, varargin{:});
43 end
44 % End initialization code - DO NOT EDIT
45
46
47 % --- Executes just before CellTrackerGUI is made visible.
48 function CellTrackerGUI_OpeningFcn(hObject, eventdata, handles, varargin)
49 % This function has no output args, see OutputFcn.
50 % hObject    handle to figure
51 % eventdata  reserved - to be defined in a future version of MATLAB
52 % handles    structure with handles and user data (see GUIDATA)
53 % varargin   command line arguments to CellTrackerGUI (see VARARGIN)
54
55 % Choose default command line output for CellTrackerGUI
56 handles.output = hObject;
57
58 % Update handles structure
59 guidata(hObject, handles);
60
61 % UIWAIT makes CellTrackerGUI wait for user response (see UIRESUME)
62 % uiwait(handles.figure1);
63
64
65 % --- Outputs from this function are returned to the command line.
66 function varargout = CellTrackerGUI_OutputFcn(hObject, eventdata, handles)
67 % varargout  cell array for returning output args (see VARARGOUT);
68 % hObject    handle to figure
69 % eventdata  reserved - to be defined in a future version of MATLAB
70 % handles    structure with handles and user data (see GUIDATA)
71
72 % Get default command line output from handles structure

```

```

73 varargout{1} = handles.output;
74
75
76 % --- Executes on button press in loadButton.
77 function loadButton_Callback(hObject, eventdata, handles)
78 % hObject    handle to loadButton (see GCBO)
79 % eventdata  reserved - to be defined in a future version of MATLAB
80 % handles    structure with handles and user data (see GUIDATA)
81 global info;
82 global filename;
83 global num_images;
84 global test;
85 global data;
86 global radius;
87
88 filename = uigetfile('*.tif');
89 assignin('base','filename',filename);
90 info = imfinfo(filename);
91 assignin('base','info',info);
92 num_images = numel(info);
93 assignin('base','num_images',num_images);
94 set(handles.StaticText,'string',filename);
95
96 test = 0;
97 data={};
98
99 radius = 57;
100
101
102
103 function StartPage_Callback(hObject, eventdata, handles)
104 % hObject    handle to StartPage (see GCBO)
105 % eventdata  reserved - to be defined in a future version of MATLAB
106 % handles    structure with handles and user data (see GUIDATA)
107
108 % Hints: get(hObject,'String') returns contents of StartPage as text
109 %        str2double(get(hObject,'String')) returns contents of StartPage as a double
110
111
112
113 % --- Executes during object creation, after setting all properties.
114 function StartPage_CreateFcn(hObject, eventdata, handles)
115 % hObject    handle to StartPage (see GCBO)
116 % eventdata  reserved - to be defined in a future version of MATLAB
117 % handles    empty - handles not created until after all CreateFcns called
118
119 % Hint: edit controls usually have a white background on Windows.
120 %        See ISPC and COMPUTER.
121 if ispc && isequal(get(hObject,'BackgroundColor'), get(0,'defaultUicontrolBackgroundColor'))
122     set(hObject,'BackgroundColor','white');
123 end
124
125
126
127 function EndPage_Callback(hObject, eventdata, handles)
128 % hObject    handle to EndPage (see GCBO)
129 % eventdata  reserved - to be defined in a future version of MATLAB
130 % handles    structure with handles and user data (see GUIDATA)
131
132 % Hints: get(hObject,'String') returns contents of EndPage as text
133 %        str2double(get(hObject,'String')) returns contents of EndPage as a double
134
135
136 % --- Executes during object creation, after setting all properties.
137 function EndPage_CreateFcn(hObject, eventdata, -)
138 % hObject    handle to EndPage (see GCBO)
139 % eventdata  reserved - to be defined in a future version of MATLAB
140 % handles    empty - handles not created until after all CreateFcns called
141
142 % Hint: edit controls usually have a white background on Windows.
143 %        See ISPC and COMPUTER.
144 if ispc && isequal(get(hObject,'BackgroundColor'), get(0,'defaultUicontrolBackgroundColor'))
145     set(hObject,'BackgroundColor','white');
146 end

```

```

149 % --- Executes on selection change in listBox2.
150 function listBox2_Callback(hObject, eventdata, handles)
151 % hObject    handle to listBox2 (see GCBO)
152 % eventdata  reserved - to be defined in a future version of MATLAB
153 % handles    structure with handles and user data (see GUIDATA)
154
155 % Hints: contents = cellstr(get(hObject,'String')) returns listBox2 contents as cell array
156 %         contents{get(hObject,'Value')} returns selected item from listBox2
157
158
159 % --- Executes during object creation, after setting all properties.
160 function listBox2_CreateFcn(hObject, eventdata, handles)
161 % hObject    handle to listBox2 (see GCBO)
162 % eventdata  reserved - to be defined in a future version of MATLAB
163 % handles    empty - handles not created until after all CreateFcns called
164
165 % Hint: listbox controls usually have a white background on Windows.
166 %         See ISPC and COMPUTER.
167 if ispc && isequal(get(hObject,'BackgroundColor'), get(0,'defaultUicontrolBackgroundColor'))
168     set(hObject,'BackgroundColor','white');
169 end
170
171
172 % --- Executes on key press with focus on listBox2 and none of its controls.
173 function listBox2_KeyPressFcn(hObject, eventdata, handles)
174 % hObject    handle to listBox2 (see GCBO)
175 % eventdata  structure with the following fields (see MATLAB.UI.CONTROL.UICONTROL)
176 %             Key: name of the key that was pressed, in lower case
177 %             Character: character interpretation of the key(s) that was pressed
178 %             Modifier: name(s) of the modifier key(s) (i.e., control, shift) pressed
179 % handles    structure with handles and user data (see GUIDATA)
180
181
182 % --- Executes on button press in DoitButton.
183 function DoitButton_Callback(hObject, eventdata, handles)
184 % hObject    handle to DoitButton (see GCBO)
185 % eventdata  reserved - to be defined in a future version of MATLAB
186 % handles    structure with handles and user data (see GUIDATA)

```

```

189 % --- Executes on selection change in popupmenu1.
190 function popupmenu1_Callback(hObject, eventdata, handles)
191 % hObject    handle to popupmenu1 (see GCBO)
192 % eventdata  reserved - to be defined in a future version of MATLAB
193 % handles    structure with handles and user data (see GUIDATA)
194 global type;
195 contents=get(handles.popupmenu1,'value');
196 switch contents
197     case 1
198         type=0;
199     case 2
200         type=1;
201 end
202
203
204
205 % Hints: contents = cellstr(get(hObject,'String')) returns popupmenu1 contents as cell array
206 %         contents{get(hObject,'Value')} returns selected item from popupmenu1
207
208
209 % --- Executes during object creation, after setting all properties.
210 function popupmenu1_CreateFcn(hObject, eventdata, handles)
211 % hObject    handle to popupmenu1 (see GCBO)
212 % eventdata  reserved - to be defined in a future version of MATLAB
213 % handles    empty - handles not created until after all CreateFcns called
214
215 % Hint: popupmenu controls usually have a white background on Windows.
216 %         See ISPC and COMPUTER.

```

```

217 if ispc && isequal(get(hObject,'BackgroundColor'), get(0,'defaultUicontrolBackgroundColor'))
218     set(hObject,'BackgroundColor','white');
219 end

```



```

297 [centers, radii] = findDroplets(X,50,100);
298 [numCenters trash] = size(centers);
299
300 if (numCenters==numDroplets)
301     [X2{k}, BW final, stats, centers_loc, rads] = findCells( X, centers, radii, radius, k, i);
302     data{k} = centers_loc;
303 else
304     data{k} = [];
305     if (k>1)
306         X2{k} = X2{k-1};
307     else
308         X2{k} = [];
309     end
310 end
311
312 [numCells, trash] = size(data{k});
313 if (numCells>TotCells)
314     TotCells = numCells;
315 end
316
317
318 if not(isempty(data{k}))
319     for j=1:numCells
320         testlast = max(find(~cellfun('isempty',lastx)));
321         assignin('base','k',k); assignin('base','lastx',lastx); assignin('base','lasty',lasty); assign
in('base','j',j); assignin('base','numCells',numCells);
322         if (k>1)&&(j<testlast)
323             if ((abs(data{k}(j,1)-lastx{j}) < 5) & (abs(data{k}(j,2)-lasty{j}) < 5))
324                 x_traj{j} = [x_traj{j} data{k}(j,1)];
325                 y_traj{j} = [y_traj{j} data{k}(j,2)];
326             end
327             elseif j==testlast
328                 x_traj{j} = [x_traj{j} data{k}(j,1)];
329                 y_traj{j} = [y_traj{j} data{k}(j,2)];
330             else
331                 droppedframes{j} = droppedframes{j} + 1;
332             end
333             lastx{j} = data{k}(j,1); lasty{j} = data{k}(j,2);
334         end
335     end
336 end
337
338 if numel(x_traj)>=1
339     if type==0
340         for j=1:TotCells
341             plot(handles.axes1,x_traj{j}.*(120/334),120.-(y_traj{j}.*(120/334)),'o-', 'Color', colorsF
orTrajPlot{j});
342         end
343     end
344
345     if type==1
346         %edit this to make origin-centered plots
347         for j=1:TotCells
348             plot(handles.axes1,-334.+x_traj{j}.*(334/120),120.-(y_traj{j}.*(334/120)),'o-', 'color', col
orsForTrajPlot{j});
349         end
350     end
351 end
352
353
354 axis(handles.axes1, [0 120 0 120]);
355 title(handles.axes1, 'Position')
356 xlabel(handles.axes1, '\mum')
357 ylabel(handles.axes1, '\mum')
358
359 hold(handles.axes1, 'on')
360
361
362 imshow(X,'Parent',handles.axes2), viscircles(handles.axes2, centers, radii);
363 label = sprintf('Frames(%d/%d)', k, num_images);
364 set(handles.frameprog, 'String', label);
365 percentage = percentage+percentageChange;
366 label = sprintf('Progress: %.2f%%', percentage*100);
367 set(handles.percentage, 'String', label);
368 imshow(BW final,'Parent',handles.axes3), viscircles(handles.axes3, centers_loc, rads);
369 imshow(X2{k}, 'Parent', handles.axes4);
370 label = sprintf('Droplets(%d/%d)', i, numDroplets);

```

```

371         set(handles.chamberprog,'String',label);
372         pause(pausetime);
373
374         assignin('base','data',data);
375         assignin('base','xtraj',x_traj);
376         assignin('base','ytraj',y_traj);
377         assignin('base','X2', X2);
378     end
379 else
380     percentage = percentage + percentageChange*num_images;
381 end
382
383
384 end
385
386
387 function PauseTime Callback(hObject, eventdata, handles)
388 % hObject    handle to PauseTime (see GCBO)
389 % eventdata  reserved - to be defined in a future version of MATLAB
390 % handles    structure with handles and user data (see GUIDATA)
391 global pausetime;
392 n=get(hObject,'string');
393 pausetime=str2double(n);
394
395
396 % Hints: get(hObject,'String') returns contents of PauseTime as text
397 %       str2double(get(hObject,'String')) returns contents of PauseTime as a double
398
399
400 % --- Executes during object creation, after setting all properties.
401 function PauseTime CreateFcn(hObject, eventdata, handles)
402 % hObject    handle to PauseTime (see GCBO)
403 % eventdata  reserved - to be defined in a future version of MATLAB
404 % handles    empty - handles not created until after all CreateFcns called
405
406 % Hint: edit controls usually have a white background on Windows.
407 %       See ISPC and COMPUTER.
408 if ispc && isequal(get(hObject,'BackgroundColor'), get(0,'defaultUicontrolBackgroundColor'))
409     set(hObject,'BackgroundColor','white');
410 end
411
412
413 function [ X2, BW final, stats, centers loc, rads ] = findCells(X, centers, radii, radius, k, i)
414 %findCells using edge detection and image processing to locate the cells within the frame of the droplets
415 % final version of the function must iterate through the droplets
416 % identified by centers array
417     rect = [centers(i,1)-radius centers(i,2)-radius 2*radius 2*radius];
418     X2 = imresize(imcrop(X, rect),2.9,'bilinear');
419
420     [-, threshold] = edge(X2, 'canny');
421     fudgeFactor = 1.2;
422     BWs = edge(X2,'canny',threshold*fudgeFactor);
423
424     se90 = strel('line',3,90);
425     se0 = strel('line',3,0);
426
427     BWsdl = imdilate(BWs, [se90,se0]);
428
429     BWdfill = imfill(BWsdl, 'holes');
430
431     BWnobord = imclearborder(BWdfill, 4);
432
433     seD = strel('diamond',1);
434     BWsmooth = imerode(BWnobord,seD);
435     BWsmooth = imerode(BWsmooth,seD);
436
437     BW final = bwareaopen(BWsmooth, 500);
438
439     [centers loc, rads] = imfindcircles(BW final, [20 50], 'Method', 'TwoStage');
440     %figure(1), imshow(BW final), viscircles(centers loc, rads);
441
442     stats = regionprops(BW final, 'Centroid');
443

```



```
448 function [ centers, radii ] = findDroplets( image, min radius, max radius )
449 %findDroplets finds chambers with complete droplets on the LabChip device
450 % Uses the imfindcircles function to find the droplets within a radius
451 % range. Because imfindcircles sorts output by a metric that is useless
452 % for our purposes, this function then resorts the circles found by
453 % position in the image.
454 [centers local, radii] = imfindcircles(image, [min radius max radius], 'Method', 'TwoStage');
455
456
457 if not isempty(centers local)
458     %sort by y
459     [y_co,y index] = sort(centers_local(:,2));
460
461     temp i = sort(y index);
462
463     temp = centers_local;
464
465     temp(temp i) = centers_local(y index); %sorts x-coordinate by ascending order of y-coordinates
466     temp(temp i,2) = centers_local(y index,2);
467
468     %then sort by x
469     if (length(temp)>2)
470         for j = 1:length(temp)-1
471             for i=1:length(temp)-j
472                 if (temp(i+1,2)-temp(i,2) < 100)
473                     if (temp(i+1,1) < temp(i,1))
474                         holdx = temp(i,1); holdy = temp(i,2);
475                         temp(i,1) = temp(i+1,1); temp(i,2) = temp(i+1,2);
476                         temp(i+1,1) = holdx; temp(i+1,2) = holdy;
477                     end
478                 end
479             end
480         end
481     end
482
483     centers = temp;
484 else
485     centers = [];
486 end
```